




# DDH BEARINGS(UK)LTD.

3,175 mm x 9,525 mm x 3,967 mm NTN  
R2ZZA deep groove ball bearings



Bearing No. R2ZZA

R2ZZA Bearing 2D drawings and 3D CAD models

Size	3.175x9.525x3.967 mm
Bore Diameter	3,175 mm
Outer Diameter	9,525 mm
Width	3,967 mm
d	3,175 mm
D	9,525 mm
B	3,967 mm
C	3,967 mm
r min.	0,3 mm
da min.	4,8 mm
da max	5,2 mm
Da max.	7,8 mm
ra max.	0,3 mm
Weight	1,5 Kg
Basic dynamic load rating (C)	0,64 kN
Basic static load rating (C0)	0,224 kN
(Grease) Lubrication Speed	49000 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.001
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1   ISO P0



## DDH BEARINGS(UK)LTD.

Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Inch
Long Description	1/8" Bore; 3/8" Outside Diameter; 5/32" Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Manufacturer Item Number	R2ZZA
Weight / LBS	0.003
Outside Diameter	0.375 Inch   9.525 Millimeter
Bore	0.125 Inch   3.175 Millimeter
Outer Race Width	0.156 Inch   3.962 Millimeter
bore diameter:	0.1250 in
precision rating:	Class 0
outside diameter:	0.3750 in
finish/coating:	Uncoated
overall width:	0.1562 in
bearing material:	High Carbon Chrome



## DDH BEARINGS(UK)LTD.

bore type:	Round
cage material:	Steel
closure type:	Double Shielded
inner ring width:	0.1562 in
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	0.1562 in
snap ring included:	Without Snap Ring
maximum rpm (grease):	49000 rpm
internal clearance:	CN
fillet radius:	0.0120 in
operating temperature range:	-40 to 250 ° F
maximum rpm:	58000 RPM
dynamic load capacity:	144 lbf
series:	Micro
static load capacity:	50 lbf
manufacturer product page:	<a href="#">Click here</a>