




DDH BEARINGS(UK)LTD.



7407BG Bearing 2D drawings and 3D CAD models

35,000 mm x 100,000 mm x 25,000 mm NTN
7407BG angular contact ball bearings

Bearing No. 7407BG

Size	35x100x25 mm
Bore Diameter	35,000 mm
Outer Diameter	100,000 mm
Width	25,000 mm
d	35,000 mm
D	100,000 mm
B	25,000 mm
C	25,000 mm
Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	1.099
EAN	4547359454390
Product Group	B00308
Enclosure	Open
Flush Ground	Yes
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	40 Degree



DDH BEARINGS(UK)LTD.

Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Mounting Arrangement	Universal
Inch - Metric	Metric
Long Description	35MM Bore; 100MM Outside Diameter; 25MM Width; Open; Yes Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	7407BG
Weight / LBS	2.427
Outside Diameter	3.937 Inch 100 Millimeter
Bore	1.378 Inch 35 Millimeter
Width	0.984 Inch 25 Millimeter
bore diameter:	35 mm
radial static load capacity:	32700 N
outside diameter:	100 mm
operating temperature range:	-40 to 120 ° C
overall width:	25 mm
cage material:	Brass
contact angle:	40 °
outer ring width:	25 mm
row type & fill slot:	Single-Row Non-Fill Slot
maximum rpm:	8000 rpm



DDH BEARINGS(UK)LTD.

internal clearance:	C0
finish/coating:	Uncoated
bore type:	Round
precision rating:	ISO Class 0
closure type:	Open
fillet radius:	1 mm
snap ring included:	Without Snap Ring
series:	74B
bearing material:	High Carbon Chrome Steel
weight:	1.098 kg
radial dynamic load capacity:	51600 N
manufacturer product page:	Click here